

Fabrication de luminaire d'éclairage public LED

### **FL 19 Series** LED Flood Light



#### **Product Features**

Standard modular design, flexible power combination High efficiency 3030 LED, efficiency can up to 140lm/w 30° 60° 90° beam angle available for different application Die-cast heat sink, multi-fins design, fast cooling to guarantee LED chip lifespan Flicker-free LED driver, eye friendly, waterproof connectors quick connection Gear turntable design to achieve easy installation angle adjusting Superior materials and workmanship in high quality up to 5 year warranty



High efficiency LED chip Lifetime more than 50000Hrs



Modular design and easy for power combination



Air convective fins design excellent heat dissipation






# **FL 19 Series** LED Flood Light

### **Date Sheet**


Picture Ref.		-B	P		E			
Product Model	EL-FL19 -1	EL-FL19 -2	EL-FL19 -3	EL-FL19 -4	EL-FL19 -5	EL-FL19 -6	EL-FL19 -8	EL-FL19 -10
Power	100W	200W/250W	300W	400W	500W	600W	800W	1000W-1200W
LED Qty.	120	240	360	480	600	720	960	1200-1440
Driver	1*DONE 100W	1*DONE 200W-250W	1*DONE 300W	2*DONE 200W	2*DONE 250W	3*DONE 200W	4*DONE 200W	5/6*DONE 200W
Input	100~277Vac							
ССТ	5000K/5700K							
CRI	>70							
Efficiency	>= 140lm/w							
Beam Angle	30° /60° /90°							
Power Factor	>0.95							
Insulcation	Class I							
Protection Grade	IP66/IK08							
Operation Temperature	-30°C~45°C							
Operation Humidity	15%~95%							
Standard	EN 60598, EN 62471, EN 55015, EN 61547, EN 61000							
Lifespan	>50000Hrs							
Warranty	5 years							


#### **Product Dimension**






























## FL 19 Series LED Flood Light
















Floor installation



Ceiling installation



Wall installation

High mast installation



Landscape

Port

Sports court

Ningbo Skyzon Energy Co., Ltd. Everlite LED Lighting Co., Limited www.everlite.cc +86 574 8353 0320 sales11@everlite.cc



